



AquaCare

ENVIRONMENTAL LABORATORY
(An ISO 9001:2015 CERTIFIED LABORATORY)

TEST REPORT

Test Report No : AEL/2406/076
Sample Receipt Date : 26.06.2024
Analysis Date : 26.06.2024 to 02.07.2024
Date of Report Issue : 02.07.2024
Customer Ref No / Date : Nil

Sample Code No : AEL/06/24/735
Sample Description : Water
Sample Quantity : 1 litre
Sample Condition : Satisfactory
Sample Detail : Marked as Drinking Water

ISSUED TO:

DPS International School
P-37, Sector-VI, Pushp Vihar, M.B. Road,
Saket, New Delhi-110017

TEST RESULTS

| PARAMETER TESTED | | | IS: 10500-2012 Drinking Water Specification (Second Revision) | | |
|------------------|---|-------|---|-----------------------------------|------------------------|
| Sl No | PHYSICO-CHEMICAL | UNITS | RESULT | REQUIREMENT (Acceptable Limit) | TEST METHOD |
| 1. | Odour | - | Agreeable | Agreeable | IS:3025 (Part 05)-1983 |
| 2. | Taste | - | Agreeable | Agreeable | IS:3025 (Part 08)-1984 |
| 3. | Turbidity | NTU | BDL(DL=01) | 1 | IS:3025 (Part 10)-1984 |
| 4. | pH value | - | 6.56 | 6.5-8.5 | IS:3025 (Part 11)-1983 |
| 5. | Total Dissolved Solids | mg/l | 11 | 500 | IS:3025 (Part 16)-1984 |
| 6. | Total Hardness as CaCO ₃ | mg/l | BDL(DL=5.0) | 200 | IS:3025 (Part 21)-2009 |
| 7. | Calcium as Ca ⁺⁺ | mg/l | BDL(DL=2.0) | 75 | IS:3025 (Part 40)-1991 |
| 8. | Magnesium as Mg ⁺⁺ | mg/l | BDL(DL=2.0) | 30 | IS:3025 (Part 46)-1994 |
| 9. | Total Alkalinity as CaCO ₃ | mg/l | BDL(DL=10.0) | 200 | IS:3025 (Part 23)-1986 |
| 10. | Chloride as Cl ⁻ | mg/l | BDL(DL=5.0) | 250 | IS:3025 (Part 32)-1988 |
| 11. | Free Residual Chlorine | mg/l | BDL(DL=0.2) | 0.2 | IS:3025 (Part 26)-2021 |
| 12. | Sulphate as SO ₄ ⁻ | mg/l | BDL(DL=5.0) | 200 | IS:3025 (Part 24)-1986 |
| 13. | Fluoride as F ⁻ | mg/l | BDL(DL=0.10) | 1.0 | IS:3025 (Part 60)-2008 |
| 14. | Total Iron as Fe ⁻ | mg/l | BDL(DL=0.05) | 1.0 | IS:3025 (Part 53)-2003 |
| 15. | Nitrate as NO ₃ ⁻ | mg/l | BDL(DL=1.0) | 45 | IS:3025 (Part 34)-1988 |
| Sl No | BACTERIOLOGICAL | | RESULT | REQUIREMENT (Acceptable Limit) | TEST METHOD |
| 1. | Total Coliforms (MPN/100ml) | | Not Detected | Not Detected | IS:1622 -1981 |
| 2. | Faecal Coliforms (MPN/100ml) | | Not Detected | Not Detected | IS:1622 -1981 |
| 3. | <i>E. coli</i> in 100 ml of sample present/absent | | Not Detected | Not Detected | IS:1622 -1981 |

BDL= Below Detection Limit. DL=Detection Limit

Remarks: -

- The above water sample conforms to IS: 10500-2012 Drinking Water Specification (Second Revision) with respect to the tests conducted.
- The results relate to item tested.





AquaCare

ENVIRONMENTAL LABORATORY
(An ISO 9001:2015 CERTIFIED LABORATORY)

TEST REPORT

Test Report No : AEL/2406/077
Sample Receipt Date : 26.06.2024
Analysis Date : 26.06.2024 to 02.07.2024
Date of Report Issue : 02.07.2024
Customer Ref No / Date : Nil

Sample Code No : AEL/06/24/736
Sample Description : Water
Sample Quantity : 1 litre
Sample Condition : Satisfactory
Sample Detail : **Marked as Drinking Water**

ISSUED TO:

DPS International School
Sector-12, R K Puram, New Delhi-110022

TEST RESULTS

| PARAMETER TESTED | | | IS: 10500-2012 Drinking Water Specification (Second Revision) | | |
|------------------|--|-------|---|-----------------------------------|------------------------|
| Sl No | PHYSICO-CHEMICAL | UNITS | RESULT | REQUIREMENT (Acceptable Limit) | TEST METHOD |
| 1. | Odour | - | Agreeable | Agreeable | IS:3025 (Part 05)-1983 |
| 2. | Taste | - | Agreeable | Agreeable | IS:3025 (Part 08)-1984 |
| 3. | Turbidity | NTU | BDL(DL=01) | 1 | IS:3025 (Part 10)-1984 |
| 4. | pH value | - | 7.22 | 6.5-8.5 | IS:3025 (Part 11)-1983 |
| 5. | Total Dissolved Solids | mg/l | 52 | 500 | IS:3025 (Part 16)-1984 |
| 6. | Total Hardness as CaCO ₃ | mg/l | 24 | 200 | IS:3025 (Part 21)-2009 |
| 7. | Calcium as Ca ⁺⁺ | mg/l | 6.4 | 75 | IS:3025 (Part 40)-1991 |
| 8. | Magnesium as Mg ⁺⁺ | mg/l | BDL(DL=2.0) | 30 | IS:3025 (Part 46)-1994 |
| 9. | Total Alkalinity as CaCO ₃ | mg/l | 16 | 200 | IS:3025 (Part 23)-1986 |
| 10. | Chloride as Cl ⁻ | mg/l | 10 | 250 | IS:3025 (Part 32)-1988 |
| 11. | Free Residual Chlorine | mg/l | BDL(DL=0.2) | 0.2 | IS:3025 (Part 26)-2021 |
| 12. | Sulphate as SO ₄ ⁻ | mg/l | 5.0 | 200 | IS:3025 (Part 24)-1986 |
| 13. | Fluoride as F ⁻ | mg/l | BDL(DL=0.10) | 1.0 | IS:3025 (Part 60)-2008 |
| 14. | Total Iron as Fe ⁻ | mg/l | BDL(DL=0.05) | 1.0 | IS:3025 (Part 53)-2003 |
| 15. | Nitrate as NO ₃ ⁻ | mg/l | BDL(DL=1.0) | 45 | IS:3025 (Part 34)-1988 |
| Sl No | BACTERIOLOGICAL | | RESULT | REQUIREMENT (Acceptable Limit) | TEST METHOD |
| 1. | Total Coliforms (MPN/100ml) | | Not Detected | Not Detected | IS:1622 -1981 |
| 2. | Faecal Coliforms (MPN/100ml) | | Not Detected | Not Detected | IS:1622 -1981 |
| 3. | E. coli in 100 ml of sample present/absent | | Not Detected | Not Detected | IS:1622 -1981 |

BDL= Below Detection Limit. DL=Detection Limit

Remarks: -

- 1) The above water sample **conforms** to IS: 10500-2012 Drinking Water Specification (Second Revision) with respect to the tests conducted.
- 2) The results relate to item tested.



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE
NEW DELHI-110001

No. F.6/DFS/MS/School/2022/SZ/ 45

Dated: 14/01/2022

FIRE SAFETY CERTIFICATE

Certified that **DPS International** located at P-37, Sector-VI, Pushp Vihar, M.B. Road Saket, New Delhi-110017 having three blocks, A-Blocks: B+G+3, B-Block: B+G+1 (Audi at 1st Floor of B-Block) and C-Block: B+G+2 (A & B blocks are interconnected upto 1st floor and C block interconnect with A block at first floor) was issued NOC by this department vide letter No. F6/DFS/MS/School/2018/SZ/2752 dated 28/12/2018. The premises was re-inspected by officer concerned of this department on 07/01/2022 in presence of Mr. G.P. Sharma (Admin) and observed that the said School building have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the building/premises is fit for occupancy class "Educational Building" Group-B, with effect from 14/01/2022 for a period of **Three years** in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on 14/01/2022 at New Delhi by




(SUNIL CHAUDHARY)
DY. CHIEF FIRE OFFICER (SZ)

Copy to: -

1. The Principal, DPS International, P-37, Sec-VI, Pushp Vihar, M.B. Road, Saket, New Delhi-17
2. The Directorate of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi-110054

Conditions for the validity of Fire Safety Certificate: -

1. All the means of escape/entry/exit shall be kept free from any obstruction.
2. All the fire safety arrangement provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life property due to non-functional fire safety measures shall be at the responsibility of the management.
3. All the staff members must know the correct method of operation of fire fighting system.
4. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or alteration (Clause 1.4.3 of UBBL-2016), if any.
6. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in form 'J' [sub rule (I) of rule 37] along with a copy of this Certificate, six month prior to its expiry.



**GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE
NEW DELHI-110001**


No.F.6 DFS/MS/School/2022/SZ/ 1260

Dated: 24 / 11 / 2022

FIRE SAFETY CERTIFICATE

Certified that **Delhi Public School, (International) Primary & Nursery School**) at Sector-10, R.K Puram, New Delhi-110022 comprised of Basement (Storage only), Ground plus two upper floors owned/occupied by Delhi Public School was issued Fire Safety Certificate by this department vide letter No. F.6/DFS/MS/School/2019/SZ/2211 dated 25-11-2019. The said premise was re-inspected by officer concerned of this department on 13/11/2022 in presence of Mr. Sarvani Rao (Principal) and found that the said school building have deemed complied with the fire prevention and fire safety requirements in accordance with Rule 33 of Delhi Fire Service Rules, 2010 and that the building is fit for occupancy class "**Educational Building Group – B**" with effect from 24 / 11 / 2022 for a period of **Three years** in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of Delhi Fire Service Rules 2010.

Issued on 24 / 11 / 2022 at New Delhi by


**(SUNIL CHAWDHARY)
DY. CHIEF FIRE OFFICER (SZ)
DELHI FIRE SERVICE**

Copy to: -

1. The Principal, Delhi Public School, (International) Primary & Nursery School) Sector- 10, R.K Puram, New Delhi-110022
2. The Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi-110054

Conditions for the validity of Fire Safety Certificate

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to non-functional fire safety measures shall be at the responsibility of the management.
2. All the staff members must know the correct method of operation of firefighting system.
3. This certificate cannot be treated as regularization of unauthorized construction, if any.
4. The basement shall be used as per the provisions of BBL /NBC Part- IV.
5. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
6. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if any
7. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry."